

GL WATSON 36 FT GAFF CUTTER 1887 - SOLD



Specification

BEROË

GL WATSON 36 FT GAFF CUTTER 1887

Designer	G.L Watson	Length waterline	29 ft 6 in / 9 m	Engine	30 HP Lister Petter Alpha 3
Builder	R Jardine & Son Rothesay	Beam	7 ft 3 in / 2.2 m	Location	United Kingdom
Date	1887	Draft	6 ft 3 in / 1.9 m	Price	Sold
Length overall	51 ft 2 in / 15.6 m	Displacement	9 Tonnes		
Length deck	36 ft 1 in / 11 m	Construction	Carvel pitch pine on oak frames		

These details are provisional and may be amended

Specification

BROKER'S COMMENTS

This Victorian yacht from the board of G L Watson retains many of her period features. Her experienced and knowledgeable shipwright owner has stripped out the boat's interior (which was not original) to provide a blank canvas project for a new owner, while maintaining the fabric of the yacht's structure – and the vessel's hull would seem to be in impressive condition. BEROË has the potential to be a stunning and almost unique period piece yet is of a size to be easily sailed.



• SANDEMAN YACHT COMPANY •
• Brokerage Of Classic & Vintage
Yachts •

www.sandemanyachtcompany.co.uk

GL WATSON 36 FT GAFF CUTTER 1887

Specification

PROJECT

BEROË has no interior and is therefore

considered to be a project

Specification

HISTORY

BEROË was commissioned by RE Collins, son of the founder of Collins book publishers of Glasgow. The yacht is included on the British Historic Ships Register.

Specification

CONSTRUCTION

- Pitch pine 1 inch carvel planking on 2 inch grown oak frames with steamed intermediates
 - Copper fastenings
 - Teak sheer strake, bulwarks and capping rail
 - English elm keelson
 - Forged Iron strap floors and welded steel hard floors all galvanised
 - External lead ballast keel, approx 5 ton and 10 bronze keel bolts
 - Yellow pine deck clothed over with teak covering boards and king plank
 - Hardwood – probably oak; deck beams
 - Galvanised steel hanging knees
 - Teak hatches, coamings and skylight
 - Steel framed doghouse entrance
 - Steel ring frame forward at mast station
 - Timber rudder blade
-

Specification

ACCOMMODATION AND DOMESTIC EQUIPMENT

- The accommodation space below is unfurnished
 - Access below by sliding hatch and 2 x drop in washboards aft end of doghouse
-

Specification

RIG, SPARS AND SAILS

Rig and Spars

- Pole masted gaff cutter
- Douglas fir main mast
- Redwood boom, gaff and bowsprit
- Mixed galvanised and stainless steel fittings
- 316 Stainless steel standing rigging hand spliced and served with leathered soft eyes new 2007
- Hybrid wire and rope tackle running backstay
- Leathered ash mast hoops
- 3 strand polyester running rigging new 2007
- Retractable bowsprit with leathered gammon iron and traveller
- Ash checked blocks with bronze sheaves throughout

Sail inventory

- 1 x Polyester, triple stitched vertical cut mainsail with three reefs
 - 3 x Jibs; new with hank eyes to set atop if required
 - 1 x Old polyester triple stitched jib
 - 1 x Polyester hanked luff jib topsail
 - 1 x Polyester hanked luff staysail
 - 1 x Polyester triple stitched hanked luff storm staysail
 - 1 x Polyester triple stitched gaff head topsail;
 - 1 x Polyester Yard topsail with aluminium yard and club
 - 1 x Nylon asymmetric - no snuffer
-

Specification

DECK LAYOUT EQUIPMENT AND GROUND TACKLE

- Flush decked with teak hatches and doghouse
- Bronze fairleads and ensign staff socket
- Bronze mushroom vent in aft deck
- Iron main sheet horse
- Cast bronze rudder boss with boat and maker's names
- Galvanised steel tiller with bronze clamp
- Boom crutch
- Bronze and Lignum sheet leads
- Mast and pin rails at base and to sides at gunwales
- Teak light boxes for navigation and stern light housing
- Galvanised manual patent type windlass which also houses bowsprit heel
- Retractable bowsprit
- Stem head fitting for inner fore stay
- 1 x 55 lb CQR anchor

- Self draining cockpit with teak lazarette locker and teak deck cleats outboard of coamings
 - Teak deckhouse with sliding hatch, windows to sides and fwd, hand rails over
 - Butterfly hatch skylight with canvas cover
 - Cast bronze dorade cowl and teak boxes
 - Teak and bronze cleats, bronze fastened

- 1 x 35lb CQR anchor
 - 1 x 45lb Fishermans anchor
 - c 200 ft / 60 metres total galvanised chain
 - c 330 ft 100 metres 18 mm multi plait nylon rope
 - c 200 ft / 60 metres 18 mm 3 strand nylon rope
-

Specification

MECHANICAL ELECTRICAL AND TANKAGE

- 30 HP Lister Petter Alpha 3 Diesel engine
 - Parker Hydraulic drive to 17 inch West Mekan bronze controllable pitch propellor
 - Cockpit controls
 - Copper oil port, starboard, stern, steaming and anchor lamps
- 1 x A4 Stainless steel 45 litre diesel fuel tank
 - 1 x A4 Stainless steel 20 litre hydraulic reservoir

Specification

SAFETY

- 1 x 12 V automatic bilge pump
- 1 x Manual bilge pump

Disclaimer

These particulars have been prepared from information provided by the vendors and are intended as a general guide. The purchaser should confirm details of concern to them by survey or engineers inspection. The purchaser should also ensure that the purchase contract properly reflects their concerns and specifies details on which they wish to rely.

GL WATSON 36 FT GAFF CUTTER 1887

Specification
GALLERY








SANDEMAN
IMPORTERS OF CLASSIC & VINTAGE YACHTS
YACHT COMPANY







SANDEMAN
YACHT BROKER






SANDEMAN
YACHT COMPANY











SANDEMAN
SANDERSON OF CLASSIC & VINTAGE YACHTS
YACHT COMPANY











SANDEMAN
DEALER OF CLASSIC & VINTAGE YACHTS
YACHT COMPANY
























SANDEMAN
DESIGNERS OF YACHTS & MOTOR YACHTS
YACHT COMPANY

